



{In Archive} Re: TCEQ's permit in El Paso 
Ray Leissner to: Jose Torres

01/19/2007 04:06 PM

From: Ray Leissner/R6/USEPA/US
To: Jose Torres/R6/USEPA/US@EPA


Archive: This message is being viewed in an archive.

No biggie but Bryan Smith spells his name with a y.

Ray Leissner, Env. Eng.
Ground Water / UIC Section (6WQ-SG)
(214) 665 - 7183
USEPA, Region 6
Jose Torres/R6/USEPA/US



Jose Torres/R6/USEPA/US
01/19/2007 12:49 PM


To Ray Leissner/R6/USEPA/US@EPA
cc
Subject Re: TCEQ's permit in El Paso 

I will pass it on to Brian. Thanks.

Ray Leissner/R6/USEPA/US



Ray Leissner/R6/USEPA/US
01/19/2007 12:42 PM

To Jose Torres/R6/USEPA/US@EPA
cc Dellinger.Philip@EPA.GOV
Subject Re: TCEQ's permit in El Paso 

Thanks Jose

I find the condition that no injected waste shall exceed primary drinking water standards significant. It sounds good but places no apparent limit on TDS or chloride concentrations.

It has always been my understanding that the conditional authorization by rule required no degradation of the receiving USDW. I don't see how this authorization requires that standard unless by reference. Would you check with Bryan on that? Thanks

Ray Leissner, Env. Eng.
Ground Water / UIC Section (6WQ-SG)
(214) 665 - 7183
USEPA, Region 6
Jose Torres/R6/USEPA/US




Jose Torres/R6/USEPA/US

To Ray Leissner/R6/USEPA/US@EPA



01/18/2007 04:18 PM

cc

Subject Re: TCEQ's permit in El Paso 

Hello Ray:

Here is a copy of the Authorization by Rule document issued by TCEQ to EPWU for the disposal wells to be used in connection with the desalinization operations that EPWU has proposed. I am not aware that this document may have been shared with HQs. Please let me know if you need anything else in connection with this matter. Thanks,

JETorres



060607EPWUsAuthorization.wpd

Ray Leissner/R6/USEPA/US



Ray Leissner/R6/USEPA/US

01/18/2007 11:49 AM

To Jose Torres/R6/USEPA/US@EPA

cc

Subject TCEQ's permit in El Paso

Jose,

I read in a DWTR update report where HQ has collected no data on shallow (into or above USDW) DWTR disposal wells. Do we have a copy of the TCEQ permit we could fax to Sue Kelly? Has that already been shared with HQ. Thanks

Ray Leissner, Env. Eng.
Ground Water / UIC Section (6WQ-SG)
(214) 665 - 7183
USEPA, Region 6